



Sold & Serviced By:



Toll Free Phone (877) SERV098 www.electromate.com sales@electromate.com



## THE GRIPPER FOR COLLABORATIVE ROBOTS

- Plug + Play and easy to program
- Ideal for precision assembly tasks
- Ergonomic shape for hand-guiding
- Built for industrial applications and harsh environments
- Automatic part detection, position feedback, and part validation



Pick & Place



Assembly



Machine Tending



**Quality Testing** 

4.7 KG

IP67

5,000,000
CYCLES WARRANTY\*

\*Excludes fingertips





Extenders sold separately

## TAKE FULL CONTROL

**50-MM STROKE GRIPPER IS SUITED TO COLLABORATIVE ROBOTS** 

ADAPT THE HAND-E TO YOUR PARTS WITH **ACCESSORIES OR CUSTOM FINGERTIPS** 



Force Copilot sold separately

## **UNLOCK FULL POTENTIAL** WITH FORCE COPILOT

**PATH RECORDING NODE** 

**INSERTION NODE** 

**FIND SURFACE NODE** 

**FORCE CONTROL NODE** 

SPECIFICATIONS	HAND-E		
Stroke (adjustable)	50 mm	2 in	
Grip force (adjustable)	20 to 185 N	4.5 to 41 lbf	
Form-fit grip payload	5 kg	11 lbs	
Friction grip payload*	4,7 kg	8.8 lbs	
Gripper mass	1 kg	2 lbs	
Position resolution (fingertip)	0.2 mm		
Closing speed (adjustable)	20 to 150 mm/s	0.8 to 5.9 in/s	
Communication protocol	Modbus RT	Modbus RTU (RS-485)	
Ingress protection (IP) rating	IPo	IP67	
* Calculated for the use of cilican covered finanting to grip a steel object, at a low robot acceleration			

Calculated for the use of silicon covered fingertips to grip a steel object, at a low robot acceleration.

## **WHAT'S NEXT?**

Get access to the Adaptive Grippers specifications at

support.robotiq.com

ROBOTIQ

LEAN -ROBOTICS Chat with the Robotiq sales team: iss@robotiq.com 1-888-ROBOTIQ





Updated May 2020 robotiq.com

<sup>\*\*</sup> All specifications provided for reference only. See user manual at support.robotiq.com for official specifications.